Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Port of Cavite.

Vessels inspected	2
Crew on arriving steamers inspected	556

Port of Olongapo.

Vessels inspected	18
Passengers on arriving boats inspected	552
Crew on arriving vessels inspected	262

Port of Zamboanga.

Vessels inspected	9
Passengers on arriving boats inspected	64
Crew on arriving vessels inspected	326

Port of Jolo.

Vessels inspected	13
Passengers on arriving boats inspected	415
Crew on arriving vessels inspected	620

FOREIGN AND INSULAR STATISTICAL REPORTS OF COUNTRIES AND CITIES—UNTABULATED.

AUSTRALIA—*Sydney.*—Month of October, 1906. Estimated population, 529,600. Total number of deaths, 468, including diphtheria 2, enteric fever 1, plague 1, scarlet fever 1, and 53 from phthisis pulmonalis.

BRAZIL—*Ceara.*—Month of October, 1906. Estimated population, 50,000. Total number of deaths, 77, including 5 from contagious diseases.

Pernambuco.—Two weeks ended November 15, 1906. Estimated population, 210,000. Total number of deaths, 250, including enteric fever 1, plague 3, smallpox 16, and 57 from tuberculosis.

BRITISH HONDURAS—*Belize.*—Month of November, 1906. Estimated population, 39,670. Total number of deaths 66, including whooping cough 1, and 7 from tuberculosis.

DUTCH GUIANA—*Paramaribo.*—Month of November, 1906. Estimated population, 33,535. Total number of deaths, 80. No contagious diseases reported. Malarial fever prevalent.

FRANCE—*Roubaix.*—Month of November, 1906. Estimated population, 124,660. Total number of deaths not reported. One death from diphtheria, 1 from enteric fever, and 1 from scarlet fever occurred during the month.

St. Etienne.—Two weeks ended November 30, 1906. Estimated population, 146,836. Total number of deaths 161, including diphtheria 4, enteric fever 5, and 17 from tuberculosis.

GIBRALTAR.—Two weeks ended December 16, 1906. Estimated population, 27,385. Total number of deaths 12. No deaths from contagious diseases reported.

GREAT BRITAIN—*England and Wales.*—The deaths registered in 76 great towns in England and Wales during the week ended December

15, 1906, correspond to an annual rate of 17.4 per 1,000 of population, which is estimated at 15,818,360.

Bradford.—Two weeks ended December 15, 1906. Estimated population, 288,544. Total number of deaths, 150, including diphtheria 4, enteric fever 3.

London.—One thousand six hundred and twenty-eight deaths were registered during the week, including measles 26, scarlet fever 15, diphtheria 16, enteric fever 15, whooping cough 18, and 15 from diarrhea. The deaths from all causes correspond to an annual rate of 18.0 per 1,000. In Greater London 2,267 deaths were registered. In the "outer ring" the deaths included 6 from diphtheria, 5 from scarlet fever, and 1 from measles.

Salford.—Three months ended September 30, 1806. Estimated population, 234,077. Total number of deaths 1,130, including diphtheria 30, enteric fever 7, measles 66, scarlet fever 12, whooping cough 4, and 94 from phthisis pulmonalis.

Ireland.—The average annual death rate represented by the deaths registered during the week ended December 15, 1906, in the 21 principal town districts of Ireland was 19.7 per 1,000 of the population, which is estimated at 1,101,499. The lowest rate was recorded in Dundalk, viz, 4.0, and the highest in Wexford, viz, 42.0 per 1,000. In Dublin and suburbs 171 deaths were registered, including diphtheria 5, whooping cough 4, and 20 from tuberculosis.

Scotland.—The deaths registered in 8 principal towns during the week ended December 15, 1906, correspond to an annual rate of 18.1 per 1,000 of the population, which is estimated at 1,787,788. The lowest rate of mortality was recorded in Greenock, viz, 16.2, and the highest in Perth, viz, 19.6 per 1,000. The aggregate number of deaths registered from all causes was 620, including diphtheria 13, enteric fever 4, measles 4, scarlet fever 1, and 15 from whooping cough.

ITALY—*Milan.*—Month of October, 1906. Estimated population, 555,669. Total number of deaths, 799, including diphtheria 7, enteric fever 41, and 138 from tuberculosis.

JAMAICA—*Kingston.*—Month of November, 1906. Estimated population, 52,065. Total number of deaths, 124, including enteric fever 4, and 14 from phthisis pulmonalis.

JAPAN—*Nagasaki.*—Ten days ended November 30, 1906. Estimated population, 163,324. Total number of deaths not reported. One death from enteric fever reported.

SPAIN—*Barcelona.*—Ten days ended December 10, 1906. Estimated population, 600,000. Total number of deaths, 380, including diphtheria 3, enteric fever 7, measles 1, scarlet fever 1, whooping cough 1, smallpox 5, and 24 from tuberculosis.

Cadiz.—Month of November, 1906. Estimated population, 69,382. Total number of deaths, 171, including enteric fever 1, smallpox 3, and 32 from tuberculosis.

Seville.—Month of November, 1906. Estimated population, 148,315. Total number of deaths 462, including diphtheria 3, enteric fever 9, measles 3, whooping cough 2, smallpox 33, and 70 from tuberculosis.

TURKEY—*Constantinople.*—Two weeks ended December 9, 1906. Estimated population, 800,000. Total number of deaths, 472, including diphtheria 3, enteric fever 6, measles 1, smallpox 5, and 65 from tuberculosis.

WEST INDIES—*Curaçao.*—Two weeks ended December 21, 1906. Estimated population, 31,600. Total number of deaths, 11. No deaths from contagious diseases.

St. Thomas.—Two weeks ended December 14, 1906. Estimated population, 11,012. Total number of deaths, 10, including 3 from tuberculosis.

Cholera, yellow fever, plague, and smallpox from December 28, 1906, to January 11, 1907.

[Reports received by the Surgeon-General, Public Health and Marine-Hospital Service, from American consuls through the Department of State, and from other sources.]

[For reports received from June 29, 1906, to December 28, 1906, see PUBLIC HEALTH REPORTS for December 28, 1906.]

[NOTE.—In accordance with custom, the tables of epidemic diseases are terminated semiannually and new tables begun.]

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
India:				
Bombay	Nov. 28–Dec. 4		3	
Cochin	Oct. 26–Nov. 23		16	
Calcutta	Nov. 11–24		159	
Karachi	Nov. 2–23	11	11	
Madras	Nov. 17–30		4	
Negapatam	Oct. 27–Nov. 23		11	

YELLOW FEVER.

Place.	Date.	Cases.	Deaths.	Remarks.
Africa:				
Dahomey	Nov. 17			Present.
Togo	Nov. 17			Do.
Brazil:				
Para	Sept. 1–30		6	
Rio de Janeiro	Nov. 12–Dec. 8	5	3	
Cuba:				
Habana	Dec. 31	1		

PLAGUE.

Place.	Date.	Cases.	Deaths.	Remarks.
Brazil:				
Bahia	Dec. 2–18	6	5	
Pernambuco	Nov. 1–15		3	
Rio de Janeiro	Nov. 12–Dec. 8	50	19	
São Paulo	Nov. 12–18		1	
Chile:				
Antofagasta	Nov. 22–Dec. 2	7	3	
Egypt:				
Alexandria	Nov. 13–Dec. 17	10	4	
Garbieh Province	Oct. 25–Dec. 2	4	3	
Guerga Province	July 2–Dec. 2	34	23	
Keneh Province	June 10–Dec. 20	44	38	
Menoufieh Province	Mar. 29–Dec. 18	12	8	
India:				
Bombay Presidency and Sind.	Oct. 21–Nov. 24	46,492	34,516	
Madras Presidency	Oct. 21–Nov. 24	348	232	
Bengal	Oct. 21–Nov. 24	1,952	1,752	
United provinces	Oct. 21–Nov. 24	6,152	5,240	
Punjab	Oct. 21–Nov. 24	35,075	31,020	
Burma	Oct. 21–Nov. 24	3,731	3,390	
Eastern Bengal and Assam	Oct. 21–Nov. 24	30	25	